ELSEVIER

Analytica Chimica Acta 429 (2001) 357–359

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abe, K., see Seto, Y. 19
Agrawal, Y.K., see Jain, V.K. 237
Alonso, J.I.G., see Ferrarello, C.N. 227
Andalò, C.
—, Bicchieri, M., Bocchini, P., Casu, G., Galletti, G.C., Mandò, P.A., Nardone, M., Sodo, A. and Plossi Zappalà, M.
The beautiful "Trionfo d'Amore" attributed to Botticelli: a chemical characterisation by proton-induced X-ray emission and micro-Raman spectroscopy 279

Barrero-Moreno, J.M., see Pulido-Tofiño, P. 337
Bayón, M.M., see Ferrarello, C.N. 227
Belostotsky, I.
—, Gridin, V.V., Schechter, I. and Yarnitzky, C.N.
Venturi-scrubber pre-concentration technique for electrochemical detection of airborne lead traces 215
Bicchieri, M., see Andalò, C. 279
Blankwater, Y.J., see Van Es, R.M 37
Bocchini, P., see Andalò, C. 279
Bordel-García, N., see Díaz-García, J. 55
Brant, A.J.C., see Ferreira, M.J.P. 151
Brinkman, U.A.Th., see Luthe, G. 49
Brzózka, Z., see Chudy, M. 347

Casu, G., see Andalò, C. 279
Chen, X., see Wang, H. 207
Chou, S.-T.
—, Ko, L.-E. and Yang, C.-S.
High performance liquid chromatography with fluorimetric detection for the determination of total homocysteine in human plasma: method and clinical applications 331
Chudy, M.
—, Dybko, A., Wróblewski, W. and Brzózka, Z.
Novel head for testing and measurement of chemical microsensors 347
Costa-Fernández, J.M., see Díaz-García, J. 55
Cunningham, D.D.
Fluidics and sample handling in clinical chemical analysis 1

Dane, A.D.
—, Rea, G.J., Walmsley, A.D. and Haswell, S.J.
The determination of moisture in tobacco by guided microwave spectroscopy and multivariate calibration 185
Dasgupta, P.K., see Galanis, S. 101

Díaz-García, J.
—, Costa-Fernández, J.M., Bordel-García, N. and Sanz-Medel, A.
Room-temperature phosphorescence fiber-optic instrumentation for simultaneous multiposition analysis of dissolved oxygen 55
Dybko, A., see Chudy, M. 347

Emerenciano, V.P., see Ferreira, M.J.P. 151
Emons, H., see Krachler, M. 125

Ferrarello, C.N.
—, Montes Bayón, M., García Alonso, J. Ignacio and Sanz-Medel, A.
Comparison of metal pre-concentration on immobilized Kelex-100 and quadruple inductively coupled plasma mass spectrometric detection with direct double focusing inductively coupled plasma mass spectrometric measurements for ultratrace multi-element determinations in sea-water 227
Ferreira, M.J.P.
—, Brant, A.J.C., Rodrigues, G.V. and Emerenciano, V.P.
Automatic identification of terpenoid skeletons through ^{13}C nuclear magnetic resonance data disfunctionalization 151
Fichet, P.
—, Mauchien, P., Wagner, J.-F.V. and Moulin, C.
Quantitative elemental determination in water and oil by laser induced breakdown spectroscopy 269
Frans Trijbels, J.M., see Markus, A.P.J.A. 287

Galanis, S.
— and Dasgupta, P.K.
Measurement of parts per million levels of potassium hydroxide in polyether polyol streams 101
Galletti, G.C., see Andalò, C. 279
Gooijer, C., see Luthe, G. 49
Gridin, V.V., see Belostotsky, I. 215

Handa, A., see Jain, V.K. 237
Haswell, S.J., see Dane, A.D. 185
Hu, Z., see Wang, H. 207
Huang, C.Z., see Li, Y.F. 311
Huang, X.H., see Li, Y.F. 311

Iba, T., see Seto, Y. 19
Imai, K., see Okiyama, N. 293

PII: S0003-2670(00)01393-3

Jain, V.K.
—, Handa, A., Sait, S.S., Shrivastav, P. and Agrawal, Y.K.
Pre-concentration, separation and trace determination of lanthanum(III), cerium(III), thorium(IV) and uranium(VI) on polymer supported *o*-vanillinsemicarbazone 237
Jakobs, B.S., see Markus, A. Patrick J.A. 287
Jiang, S.-J., see Lu, H.-H. 247

Kamidate, T., see Tani, H. 301
Kidrič, J., see Košir, I.J. 195
Kim, H.-J., see Lee, D.-S. 321
Kim, H.Y.
— and Lim, H.B.
Determination of Si and Cu in Al target metal used in a semiconductor process by inductively coupled plasma-atomic emission spectrometry 145
Kim, K., see Lee, D.-S. 321
Kim, S.-O., see Lee, D.-S. 321
Ko, L.-E., see Chou, S.-T. 331
Kocjančič, M., see Košir, I.J. 195
Kolehmainen, M., see Tuovinen, K. 257
Košir, I.J.
—, Kocjančič, M., Ogrinc, N. and Kidrič, J.
Use of SNIF-NMR and IRMS in combination with chemometric methods for the determination of chaptalisation and geographical origin of wines (the example of Slovenian wines) 195
Krachler, M.
— and Emons, H.
Speciation analysis of antimony by high-performance liquid chromatography inductively coupled plasma mass spectrometry using ultrasonic nebulization 125
Kupka, K.
— and Meloun, M.
Data analysis in the chemical laboratory. II. The end-point estimation in instrumental titrations by nonlinear regression 171

Lee, D.-S.
—, Lee, E.-S., Kim, H.-J., Kim, S.-O. and Kim, K.
Reversed phase liquid chromatographic determination of triacylglycerol composition in sesame oils and the chemometric detection of adulteration 321
Lee, E.-S., see Lee, D.-S. 321
Li, M., see Li, Y.F. 311
Li, Q., see Wang, H. 207
Li, S.F.Y., see Su, X. 27
Li, Y.F.
—, Huang, C.Z., Huang, X.H. and Li, M.
Determination of DNA by its enhancement effect of resonance light scattering by azur A 311
Lim, H.B., see Kim, H.Y. 145
Lu, H.-H.
— and Jiang, S.-J.
Organic acids as the modifier to determine Zn, Cd, Tl and Pb in soil by slurry sampling electrothermal vaporization inductively-coupled plasma mass spectrometry 247
Luthe, G.
—, Scharp, J., Brinkman, U.A.Th. and Gooijer, C.
Monofluorinated polycyclic aromatic hydrocarbons in Shpol'skii spectroscopy 49

Mandò, P.A., see Andalò, C. 279
Markus, A.P.J.A.
—, Swinkels, D.W., Jakobs, B.S., Wevers, R.A., Trijbels, J.M. Frans and Willems, H.L.
New technique for diagnosis and monitoring of alcaptonuria: quantification of homogentisic acid in urine with mid-infrared spectrometry 287
Matsuda, A., see Tani, H. 301
Mauchien, P., see Fichet, P. 269
Meijer, D., see Van Es, R.M 37
Meloun, M., see Kupka, K. 171
Moulin, C., see Fichet, P. 269

Nardone, M., see Andalò, C. 279

Ogrinc, N., see Košir, I.J. 195
Ohkuma, H., see Seto, Y. 19
Okiyama, N.
—, Santa, T., Toriba, A. and Imai, K.
BF_3–methanol as a cyclization/cleavage/conversion reagent for suppression of amino acid racemization in Edman sequencing and L-configuration determination method 293

Paakkanen, H., see Tuovinen, K. 257
Pérez-Conde, M.C., see Pulido-Tofiño, P. 337
Peuravuori, J.
Partition coefficients of pyrene to lake aquatic humic matter determined by fluorescence quenching and solubility enhancement 65
Binding of pyrene on lake aquatic humic matter: the role of structural descriptors 75
Plossi Zappalà, M., see Andalò, C. 279
Pohl, P.
— and Zyrnicki, W.
On the transport of some metals into inductively coupled plasma during hydride generation process 135
Pulido-Tofiño, P.
—, Barrero-Moreno, J.M. and Pérez-Conde, M.C.
Sol–gel glass doped with isoproturon antibody as selective support for the development of a flow-through fluoroimmunosensor 337

Rea, G.J., see Dane, A.D. 185
Riekkola, M.-L., see Suomi, J. 91
Rodrigues, G.V., see Ferreira, M.J.P. 151

Sait, S.S., see Jain, V.K. 237
Santa, T., see Okiyama, N. 293
Sanz-Medel, A., see Díaz-García, J. 55
Sanz-Medel, A., see Ferrarello, C.N. 227
Scharp, J., see Luthe, G. 49
Schechter, I., see Belostotsky, I. 215

Setford, S.J., see Van Es, R.M 37
Seto, Y.
—, Ohkuma, H., Takayasu, S., Iba, T., Umeda, A. and Abe, K.
Development of highly sensitive bioluminescent enzyme immunoassay with ultra-wide measurable range for thyroid-stimulating hormone using firefly luciferase 19
Shrivastav, P., see Jain, V.K. 237
Sirén, H., see Suomi, J. 91
Sodo, A., see Andalò, C. 279
Su, X.
— and Li, S.F.Y.
Serological determination of *Helicobacter pylori* infection using sandwiched and enzymatically amplified piezoelectric biosensor 27
Suomi, J.
—, Sirén, H., Wiedmer, S.K. and Riekkola, M.-L.
Isolation of aucubin and catalpol from *Melitaea cinxia* larvae and quantification by micellar electrokinetic capillary chromatography 91
Suzuki, Y., see Tani, H. 301
Swinkels, D.W., see Markus, A. Patrick J.A. 287

Takahashib, K., see Tanakaa, M. 117
Takayasu, S., see Seto, Y. 19
Tanakaa, M.
— and Takahashib, K.
Silicate species in high pH solution molybdate, whose silica concentration is determined by colorimetry 117
Tani, H.
—, Suzuki, Y., Matsuda, A. and Kamidate, T.
Enhancement of the excluded-volume effect in protein extraction using triblock copolymer-based aqueous micellar two-phase systems 301
Themelis, D.G.
— and Tzanavaras, P.D.
Simultaneous spectrophotometric determination of fluoride and monofluorophosphate ions in toothpastes using a reversed flow injection manifold 111
Toriba, A., see Okiyama, N. 293
Tuovinen, K.
—, Kolehmainen, M. and Paakkanen, H.
Determination and identification of pesticides from liquid matrices using ion mobility spectrometry 257
Tzanavaras, P.D., see Themelis, D.G. 111

Umeda, A., see Seto, Y. 19

Van Es, R.M
—, Setford, S.J., Blankwater, Y.J. and Meijer, D.
Detection of gentamicin in milk by immunoassay and flow injection analysis with electrochemical measurement 37

Wagner, J.-F., see Fichet, P. 269
Walmsley, A.D., see Dane, A.D. 185
Wang, H.
—, Zhou, Y., Zhao, Y., Li, Q., Chen, X. and Hu, Z.
Optimization of on-line microwave flow injection analysis system by artificial neural networks for the determination of ruthenium 207
Wevers, R.A., see Markus, A. Patrick J.A. 287
Wiedmer, S.K., see Suomi, J. 91
Willems, H.L., see Markus, A. Patrick J.A. 287
Wróblewski, W., see Chudy, M. 347

Yang, C.-S., see Chou, S.-T. 331
Yarnitzky, C.N., see Belostotsky, I. 215

Zhao, Y., see Wang, H. 207
Zhou, Y., see Wang, H. 207
Zyrnicki, W., see Pohl, P. 135